EAST
8 pages   MD   MD   MD

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	7	mattsson-ulf.in.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/03/07 17:31
S2	2	("5446575" | "5542078").PN.	USPAT	OR	ON	2005/03/07 17:32
S3	114	"5542078".URPN.	USPAT	OR	ON	2005/03/07 17:34
S4	0	"6321201".URPN.	USPAT	OR	ON	2005/03/07 17:35
S5	16	("5369702" | "5459860" | "5659614" | "5661799" | "5680452" | "5699428" | "5717755" | "5757908" | "5768276" | "5898781" | "5915017" | "5915025" | "5917915" | "5933498" | "5940507" | "6098172").PN.	USPAT	OR	ON	2005/03/07 17:35
S6	13	("5274807" | "5276867" | "5278978" | "5339419" | "5402474" | "5416917" | "5519869" | "5701183" | "5706457" | "5875478" | "5937411" | "6009442" | "6088717").PN.	USPAT	OR	ON	2005/03/07 17:36
S7	33	(("data type" near3 (preserv$5 or maintain$3 or "same")) same (encrypt$3 or encod$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 17:36
S8	15	"4645916".URPN.	USPAT	OR	ON	2005/03/07 18:16
S9	30	("3624615" | "3653000" | "3727190" | "3753245" | "3778774" | "3790754" | "3829844" | "3831006" | "3839708" | "3848112" | "3869700" | "3918047" | "3970996" | "3996450" | "4013894" | "4055746" | "4085446" | "4108362" | "4130881" | "4164320" | "4177456" | "4181251" | "4219151" | "4242730" | "4268744" | "4304990" | "4340810" | "4357529" | "4358672" | "4359630").PN.	USPAT	OR	ON	2005/03/07 18:16
S10	5	("4974191" | "5065429" | "5191611" | "5367573" | "5659614").PN.	USPAT	OR	ON	2005/03/07 18:18
S11	6	"5963642".URPN.	USPAT	OR	ON	2005/03/07 18:18

S12	12	database near5 (cryptograph$2 or encrypt$3) same "data type"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 18:29
S13	3	("5737419" | "5924094" | "6185685").PN.	USPAT	OR	ON	2005/03/07 18:32
S14	0	"6327595".URPN.	USPAT	OR	ON	2005/03/07 18:33
S15	2	(707/100-104.1.ccls. and ("data type" near3 (preserv$5 or maintain$3 or "same"))) and (database near5 (cryptograph$2 or encrypt$3))	US-PGPUB; USPAT	OR	ON	2005/03/07 18:33
S16	17	database with (cryptograph$2 or encrypt$3) same ("data type" or "character set")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 18:36
S17	10	database and "data type" same ("basic encoding rules" or ber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/21 17:24
S18	21	707/100-104.1.ccls. and "data type" and (encryptA$3 or cryptography)	US-PGPUB; USPAT	OR	ON	2005/03/07 18:39
S19	27	713/193.ccls. and database and "data type"	US-PGPUB; USPAT	OR	ON	2005/03/07 18:42
S20	2	("data type" near3 (preserv$5 or maintain$3 or "same")) same (database with encrypt$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 18:44
S21	12	("data type" near3 (preserv$5 or maintain$3 or "same")) and (database near5 encrypt$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/21 18:23
S22	0	(713/193.ccls. and (database same (encrypt$3 or cryptograph$2))) and ("data type" same "character set")	US-PGPUB; USPAT	OR	ON	2005/03/07 18:45
S23	23	(713/193.ccls. and (database same (encrypt$3 or cryptograph$2))) and ("data type" or "character set")	US-PGPUB; USPAT	OR	ON	2005/03/07 18:45
S24	2	341/90.ccls. and (database with (encrypt$3 or encod$3 or cryptography))	US-PGPUB; USPAT	OR	ON	2005/03/07 18:46

S25	21	713/167.ccls. and (database same (encrypt$3 or cryptography))	US-PGPUB; USPAT	OR	ON	2005/03/07 18:47
S26	1	("6336121").PN.	USPAT; USOCR	OR	OFF	2004/06/22 17:48
S27	2	707/101,103R,104.1.ccls. and "data type" with "character set"	US-PGPUB; USPAT	OR	ON	2005/03/07 18:48
S28	31	707/101,103R,104.1.ccls. and (database same ("data type" with (allow$2 or restrict$3) near "5" "character set"))	US-PGPUB; USPAT	OR	ON	2005/03/07 18:49
S29	1	707/101,103R,104.1.ccls. and (database same ("data type" with ((allow$2 or restrict$3) near "5" "character set")))	US-PGPUB; USPAT	OR	ON	2005/03/07 18:50
S30	5	"5835912".URPN.	USPAT	OR	ON	2004/06/23 12:32
S31	7	("4566078" | "5148541" | "5428772" | "5442782" | "5497319" | "5523946" | "5678039").PN.	USPAT	OR	ON	2004/06/23 12:34
S32	79	database and ("data type" same ((restrict$3 or allow$3 or $defined) near3 character))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 18:51
S33	32	380/267.ccls.	US-PGPUB; USPAT	OR	ON	2005/10/08 14:02
S34	8	"5515437".URPN.	USPAT	OR	ON	2004/06/23 15:49
S35	1	"5333197".URPN.	USPAT	OR	ON	2004/06/23 15:51
S36	3	"4627074".URPN.	USPAT	OR	ON	2004/06/23 15:51
S37	1	"4262359".URPN.	USPAT	OR	ON	2004/06/23 15:54
S38	8	"3670104".URPN.	USPAT	OR	ON	2004/06/23 15:54
S39	4	database and (encrypt$3 same "datatype")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 18:54
S40	156	encrypt$3 with "data type"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 18:58
S41	179	(database and (encrypt$3 same "data type")) not (encrypt$3 with "data type")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 18:58

S42	17	("4993069" | "5440633" | "5511122" | "5517622" | "5524052" | "5577209" | "5640456" | "5673322" | "5689565" | "5699513" | "5845281" | "5892899" | "6044468" | "6173404" | "6175925" | "6178509" | "6205550").PN.	USPAT	OR	ON	2004/06/23 17:40
S43	0	"6324646".URPN.	USPAT	OR	ON	2004/06/23 18:25
S44	17	("4993069" | "5440633" | "5511122" | "5517622" | "5524052" | "5577209" | "5640456" | "5673322" | "5689565" | "5699513" | "5845281" | "5892899" | "6044468" | "6173404" | "6175925" | "6178509" | "6205550").PN.	USPAT	OR	ON	2004/06/23 18:25
S45	7	database same ((pre$1defined or restrict$3 or allow$3) near3 "character set")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 19:00
S46	134	(key near5 (initial$7 adj (vector or value))) same encrypt$3	USPAT	OR	ON	2005/03/07 19:03
S12 8	8	mattsson-ulf.in.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/08 10:25
S12 9	2	("5446575" | "5542078").PN.	USPAT	OR	ON	2005/03/07 17:32
S13 0	115	"5542078".URPN.	USPAT	OR	ON	2005/03/07 17:34
S13 1	0	"6321201".URPN.	USPAT	OR	ON	2005/03/07 17:35
S13 2	16	("5369702" | "5459860" | "5659614" | "5661799" | "5680452" | "5699428" | "5717755" | "5757908" | "5768276" | "5898781" | "5915017" | "5915025" | "5917915" | "5933498" | "5940507" | "6098172").PN.	USPAT	OR	ON	2005/03/07 17:35

S13 3	13	("5274807" | "5276867" | "5278978" | "5339419" | "5402474" | "5416917" | "5519869" | "5701183" | "5706457" | "5875478" | "5937411" | "6009442" | "6088717").PN.	USPAT	OR	ON	2005/03/07 17:36
S13 6	13	(("data type" near3 (preserv$5 or maintain$3 or "same" or support$3)) same encrypt$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/08 10:28
S13 7	10	("4916738" | "5126728" | "5440723" | "5452442" | "5485575" | "5572590" | "5613002" | "5701342" | "5832212" | "5960080").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/07 18:13
S13 8	17	"4645916".URPN.	USPAT	OR	ON	2005/03/07 18:16
S13 9	30	("3624615" | "3653000" | "3727190" | "3753245" | "3778774" | "3790754" | "3829844" | "3831006" | "3839708" | "3848112" | "3869700" | "3918047" | "3970996" | "3996450" | "4013894" | "4055746" | "4085446" | "4108362" | "4130881" | "4164320" | "4177456" | "4181251" | "4219151" | "4242730" | "4268744" | "4304990" | "4340810" | "4357529" | "4358672" | "4359630").PN.	USPAT	OR	ON	2005/03/07 18:16
S14 0	5	("4974191" | "5065429" | "5191611" | "5367573" | "5659614").PN.	USPAT	OR	ON	2005/03/07 18:18
S14 1	7	"5963642".URPN.	USPAT	OR	ON	2005/03/07 18:18
S14 2	12	database near5 (cryptograph$2 or encrypt$3) same "data type"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/08 10:39
S14 3	3	("5737419" | "5924094" | "6185685").PN.	USPAT	OR	ON	2005/03/07 18:32
S14 4	0	"6327595".URPN.	USPAT	OR	ON	2005/03/07 18:33

S14 5	2	(707/100-104.1.ccls. and ("data type" near3 (preserv$5 or maintain$3 or "same" or support$3))) and (database near5 (cryptograph$2 or encrypt$3))	US-PGPUB; USPAT	OR	ON	2005/10/08 11:24
S14 6	20	database with (cryptograph$2 or encrypt$3) same ("data type" or "character set")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/08 11:27
S14 7	25	707/100-104.1.ccls. and "data type" and (encryptA$3 or cryptography)	US-PGPUB; USPAT	OR	ON	2005/10/08 11:37
S14 8	47	713/193.ccls. and database and "data type"	US-PGPUB; USPAT	OR	ON	2005/03/07 18:42
S14 9	0	(713/193.ccls. and (database same (encrypt$3 or cryptograph$2))) and ("data type" same "character set")	US-PGPUB; USPAT	OR	ON	2005/03/07 18:45
S15 0	42	(713/193.ccls. and (database same (encrypt$3 or cryptograph$2))) and ("data type" or "character set")	US-PGPUB; USPAT	OR	ON	2005/10/08 11:39
S15 1	2	341/90.ccls. and (database with (encrypt$3 or encod$3 or cryptography))	US-PGPUB; USPAT	OR	ON	2005/03/07 18:47
S15 2	31	713/167.ccls. and (database same (encrypt$3 or cryptography))	US-PGPUB; USPAT	OR	ON	2005/03/07 18:47
S15 3	2	707/101,103R,104.1.ccls. and "data type" with "character set"	US-PGPUB; USPAT	OR	ON	2005/03/07 18:48
S15 4	33	707/101,103R,104.1.ccls. and (database same ("data type" with (allow$2 or restrict$3) near "5" "character set"))	US-PGPUB; USPAT	OR	ON	2005/03/07 18:49
S15 5	1	707/101,103R,104.1.ccls. and (database same ("data type" with ((allow$2 or restrict$3) near "5" "character set")))	US-PGPUB; USPAT	OR	ON	2005/03/07 18:50
S15 6	96	database and ("data type" same ((restrict$3 or allow$3 or $defined) near3 character))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 18:51
S15 7	33	380/267.ccls.	US-PGPUB; USPAT	OR	ON	2005/03/07 18:52

S15 8	4	database and (encrypt$3 same "datatype")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 18:54
S15 9	198	encrypt$3 with "data type"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 18:58
S16 0	9	database same ((pre$1defined or restrict$3 or allow$3) near3 "character set") .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 19:01
S16 1	156	(key near5 (initial$7 adj (vector or value))) same encrypt$3	USPAT	OR	ON	2005/03/07 19:03
S16 2	12	(mattsson-ulf.in. or blomkvist.in.) and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/08 10:26
S16 3	16	(("data type" near3 (preserv$5 or maintain$3 or "same" or support$3)) same (encrypt$3 obfuscat$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/08 10:29
S16 4	14	database near5 (cryptograph$2 or encrypt$3 or obfuscat$3) same "data type"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/08 10:40
S16 6	1061	707/100-104.1.ccls. and (cryptograph$2 or encrypt$3 obfuscat$3)	US-PGPUB; USPAT	OR	ON	2005/10/08 11:23
S16 7	2	(707/100-104.1.ccls. and ("data type" near3 (preserv$5 or maintain$3 or "same" or support$3))) and (database near5 (cryptograph$2 or encrypt$3 obfuscat$3))	US-PGPUB; USPAT	OR	ON	2005/10/08 11:25
S16 8	2	707/100-104.1.ccls. and ((data near2 type) same (database near5 (cryptograph$2 or encrypt$3 obfuscat$3)))	US-PGPUB; USPAT	OR	ON	2005/10/08 11:26

S16 9	23	database with (cryptograph$2 or encrypt$3) same ("data type" or "character set")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/08 11:27
S17 0	50	707/100-104.1.ccls. and ((data near2 type) (character near2 set)) and (encryptA$3 or cryptography)	US-PGPUB; USPAT	OR	ON	2005/10/08 11:38
S17 1	1022	713/167,189,193.ccls. and (@ad<"20001127" or @rlad<"20001127")	US-PGPUB; USPAT	OR	ON	2005/10/08 11:40
S17 2	50	S171 and (database same (encrypt$3 or cryptograph$2)) and ("data type" "character set")	US-PGPUB; USPAT	OR	ON	2005/10/08 11:42
S17 3	3	S171 and ((database same (encrypt$3 or cryptograph$2)) same ("data type" "character set"))	US-PGPUB; USPAT	OR	ON	2005/10/08 11:42
S17 4	180	S171 and (database same (encrypt$3 or cryptograph$2))	US-PGPUB; USPAT	OR	ON	2005/10/08 11:43
S17 5	114	S171 and (database with (encrypt$3 or cryptograph$2))	US-PGPUB; USPAT	OR	ON	2005/10/08 11:43
S17 7	22	S171 and (database near3 (encrypt$3 or cryptograph$2) same (record column field element))	US-PGPUB; USPAT	OR	ON	2005/10/08 11:50
S17 8	9	("5963642").URPN.	USPAT	OR	ON	2005/10/08 12:06
S17 9	10	("20020078079" | "20020095651" | "20020138431" | "5713018" | "5903652" | "5963642" | "6199077" | "6209095" | "6477565" | "6499036").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/08 12:08
S18 0	35	380/267.ccls.	US-PGPUB; USPAT	OR	ON	2005/10/08 14:02